Missouri Botanical Garden

Peter H. Raven Library

George Engelmann Botanical Notebooks



Pagination Note:
Since many of the items lack a specific page number, the page number displayed online refers to the sequentially created number each item was given upon cataloging the materials.

Euphorbia Hochstetteriana Kunth. Burm.

1. Phyllanthus exiguus Forsk. Chamaesyce dictus C. Koch.
Phyllanthus erectus Ach. Richard. Fl. Abyss. 2. 327.
floribus ad ramulorum nodos glomeratis. Sloan. Cat. Jam.
Euph. dichotoma foliis sessilibus ovato-oblongis
pedunculis 2-capitatis axillaribus ramulo erecto
duplo longioribus.

Phyllanthus boliyoides erectus fl. capitulis conjugatis
longioribus pedunculo insidentibus. Burm. Zeyl.

The specimen (with all these notes) is
C. hypericifolia glabra angusto serrata, gland.
alibi appendiculata

(Euph. monticola, Hochstet, Abyssinia)

Texas Drummond 327 Euph. multiformis Mich.
331 E. peplopides Nuttall
319 & 320 E. glyptosperma = Hookeriana Gray
242 arenaria
329 arenaria minor, fol. obtusis
223 E. Cordifolia
Euphorb

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

- Geyer 309 subsessile Loc Mo Rock
potata (= Mo Element) both editions
345 E. ditypa perma from Kooskooske
26, E. montana = Mersch's plant Valley
stout.

Drum 330 E. alboramigata Torr & Gr Tex
291 N Orleans E. stenella
228 Texas
290 Nor E. deprena " "
Euph. deprena, Louisiana Hartman (or Hartman)
1837
is certainly E. Darmani which
I have not yet seen from the U.S

E. Saturejoides Lam. (Ft de Gay 1843.)
Coromandel
Pondichery Perrottet 1835 fl. rapit
N 289 (very old specimen) is a large
strongly form

E. variegata Hegm & Arth
= E. platyceps Boiss - fide Gay.
Drummond

E. stenella Texas Drummond 228
N Orleans " " 291
Bourgeau Canary. 975. (sub nom
Tenerife Euphorbia)
" " 148 Palma.
St Louis Texas Drummond.
St Domingo Poiteau 1833

E. Lendal (contei) / S. Domingo Henry Delpeal

E. Burmanniä Guy Guiana, Hostmann
= thyrsiflora Java Dellinger 775 & 1872
acct Surinam, Hohenacker pl. exs. 755
for Guy
sub nom E. thyrsiflora
Ind. or. = Ste Ventenat
sub nom thyrsiflora
and also: pterophylla
" depressa " Louisiana [illegible] Hartman
" Senegambia Leprieur
Ceylon Walker (Ste Jonas)
" thyrsiflora " Mangalor Hohenacker
P. Ind or. 67
Poeppig, Chili, 2175 for Guy
3097
— — —
Ceylon Morriott
Madagascar Goudot.
Bourbon P. Roux
Ind or. Sumatra
Jamaica
Brasil Gardner 1128
Surinam Weigelt
Java Lab. Candèze
Pondicherry Perrottet
Guyane Poiteau
— Scheenbergh (188) 189.
St Vincent Caley
Ile de Bourbon Goudot 1829
Coromdel Bélanger

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Euphr. Forskahlii Gaza Schimper, Kotschy 310

Arabia, Schimper 912

Nubia, Kotschy 364. 69.

— — 155

Aegypt — 66. Vatenet

Abyssinia Schimper 618. 754

Aegypt Lepsius

Senegal Perrottet

— Heudelot N. 226

Nubia, Aegypt Kotschy

Arabien Eloy 2033 & 5304 Aegypt Muscat

Canarien Despréaux. 1837

N. 101.

Gaza Bové 426

E. scordifolia Senegal Perrottet

= tomentosa Nubia Kotschy 291

fide Gay Senegal Dr. Brunner.

Heudelot 474

— Sieber

Le Prieur

Cordofan Kotschy. 1.

Djedda Schimper 755

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Euphorbia Cyparissa Linn. St Domingo, Poiteau
fide Gay

N York
Reading
Florida
N Orleans Drummond 290
Ohio, Buck (Pub nom
Dentat.)
Carolina Bose.

E. Peplis Canar. Bourgeau 474
Hyères
Sicile
Bona
Marseille Cette ètc
Toulon
Napoli
Canaries Fogel. etc
Morea

E. Characias Corsica Belanger
Georgia Hohenacker
Provence etc
Dalmatia
Morea
Provence
Syria Labillardière
Taurus Heldreich
Hispania
Sicile
Oran
Aucher Eloy, orient 5300
2017

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

6698

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

J. Gay Euphorbiaceae in herbario
Paris July 1857 Lac.

E. chamaesyce α glabrimum

β. ~~pilosa~~ hebecarpa mihi Gay

= canescens

γ. hebecarpa virens

δ " " " rubella

E. canescens subnomine E. platanifolia in sp.

Mahon. Isabelle leg 1838.

bracts among the male flowers 2-4 or 5 fid.

Lobes ciliate

E. Berteriana Gay (non Bertol.) Chili (= Glauca

Gay non E. depressa)

E. Bendorkeana Gay ~~Ad. Amgun~~ Sibiria orient.

fischer del. —

E. anagalloides Gay ins ~~Cuba~~ Fol (dentat grosse

glabamibus ~~pilosis~~ — N. Holland

E. Forskalii ~~Kotschy~~ Aegypt. Senegal. Cap Verd. = Thymifolia Forskal

var β. granulata (E. granul. Forsk. Vahl

(tomentosa)

= fragilis Desvaux Ter Sinai

var γ. hirtula (Kotschy 69) — Camara Webb

δ. glabrata (non glabra !!) Arabia, Nubia (Kotschy 69)

Schimper 754 — fol supra obtegentibus

E. Bottae Gay mss. Arab. prope Taïfa Botta — Botta Ex

et var β. Villosa Aegypt. Inferior West

E. tonella — Haiti — Haven — Jaxon
Teneriffa & Palma (Borgeau 915 pro parte
non Forskalii Gay) (& Borgeau 1509
Borgeau 148 — sub nomine tonella
Isle Bourbon

E. Bonnemaisoni — Guadeloupe Portoan
sicher flor Martin Mro 131
Java —
Isle de France
Senegambia
Mongalor ; —— = thymifolia B. Lin
thymifolia Micheli —
Holmark pl. Taylor.
No 67

E. Philippina Gay Mex = E. microphyllea Hamb Mex Pan.
non Lam. — = Philip. Micheli. Comarag Tor

E. depressa Arn. cpt — Venetia, Verona
(escaped from bot Gardens ?) — Rome = th
Jardin des Plantes
E serpens Hispaniola — Poiteau
[= enteromeloides ?]

Chili Cumming
Herbarium 80 & 139 (Cuming) Zanzibar
Drummond 290 N. Mex ovum dyrosa
E. retusiuscula Lour 1786 = rosea Ach obs. fasc 4.
pag 26
Det ? 1786

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

E. pepli d°foliis Jacq Mss = Port au Prince St Domingo
seems to be a glabrous
form of dovia

C. hyssopifolia

C. polygonifolia

C. notata E = Hookeriana Jacq Mss

C. hyperici folia

C. pilosissima

E. trichodes Jacq Mss. Jacq. Icon
Gandichaud.
sepalis foliis valde affinis, parum
minus foliis; fol. oblongis parum
acutis. Forsan nimis
at forma d° sepalli folii ?

E. buxifolia Lam 1786. = glabrata Swartz
Prodr. 1788

E. Articulata Lam 1786 = Ericoides Retz obs.
fasc III. 1783 Vahl Enzyl Suppl. nro. 129, 1811
Sieber Martinq - N°. 392

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

6699

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Dr Dolle's Cyperus amabilis

E. tomentosa, Cap verde islands

[Chamaeyce " "

[. prostrata Ait (?) Teneriffe

[. Forskahlii Cap Verde St Nich.

St Nicholas

St Jago

Brava

[. ~~thamnoides?~~ glaberrima etc.

subintegra. Jam?

St Vincent 26/10

~~Euph~~ — St Vincent (no dat.)

pubescent all over

these two might be smooth & pub

var. of same plant! and

intermediate Cabo. Chamaesyce

& Forsk — nearer the former

but ~~etc~~ and of H. Cattle

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

6700

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Euphorbiae stipulatae

Herbarii reg. Monac.

Nov. 1857

Euphorbii rondifolii Jacq. Kotschy 291. Senaar 7-6 non E. hirta
Schimper 755. Eschedda forma pubescens vel non
Kotschy 7 Cordofan vel non E. thymifolii
S. Fischer Dschedda v. Jedda
Senegal. Sieber. N. 17 E. tomentosa Pers

E. maculata muss ameisen vertreiben

E. humifusa v. de nomine ex H. B. Monac.

E. rosea Ruf. Indor in Hb Schreber Tranquebar
Rottler leg

E. prostrata Schiede Mexico vel non E. villifera Scheele
Bertero Quedalonga vel E. prostrata

E. polygonifolii Am. Bor.

E. polygonemoides Hochst. Kotschy 302 Kordofan

E. villosissima Klotzsch. Minas Geraes Martius.
a forma vitt. perem. vol. ~~glabra~~ calyce
laevi — Cfr. Klotzsch herbarium hoc labente
E. hirsuta mihi

E. glanvophylla Senegal Sieber Herb. Senegamb. 18.

E. glabrata Sw. ex hab Schreberiana, also Willdenow
Bertero, Cuba etc 517

E. convolvuloides Hochst. Kotschy 242 Cordofan

E. racemosa Mart. Nov. et. decon. Fab 73
Obs nr 676. Brasil
Roxb. Brasil
E. Pseudochamaesyce

Desiney. (Pallas scripsit!)
non Mon. E. Chamaesyce

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Euph. Aloto Forsten own specimen! Jus Leuchst.

E. Grenei = articulata. Martius Sieber 392
Antigua Wallrothiana 516

E. petaloidea von Nuttallii Texas

E. ambrosioides Hookst. Schimper 256 Arab. felix.
Dr Ecb. Fischer 187. Schedae

E. Serpens H.B.K. Sandaran, Pará Martius sine nom.
522 Wallrothiana Antigua sub nom. Euphorbiologi
Nervosa sub nom pubescentissima, Martius
523. C. Wallrothi. Antigua sub. sergilifolii

E. Sieberiana Klotzsch, Bahia sub nom E. modesta Martius
E. thymifolia (Burmanni Gay) 203 Spruce, Santarem
Pará Martius sine nom.
Hb Schreberianum
Sieber Martinique 137.
Selangore Hb. Schrenk. sub thymifolia
Mangalor Sur or. Hohenacker exsicc N. 67
sub nom thymifolia W. Arnott. Wig.

E. granulata Forsk. Forskalii Gay.
Nubia 443. Kotschy sub nom E. fragilis Decaisne
Cordofan 69 " " — — E. granulata Vahl
Syene Sieber — — E. thymifolia Forsk
Cordofan 155 Kotschy — — E. granulata
Abyssinia 618 Schimper — E. " " "
Arabia 14 Lang
Aegypt. Savi — — E. granulata

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

E. granulata contin. Eschedr, Arab, Sc. Fischer 173
" " Schimper 754 ?
too young
Rheedii 364 Kotschy sub nom. Chamaesyce
Euph. pilulifera ~~E. capitalis pedrellata~~ (Forsk. Lin)
Trankebar & 132
Mauritius Sieber 54 (capit brev. pedicell.
Zeylon Burm = Hb Schmiedel
Selampur Hb Scheuchzer
Indii Griffith
Milagiri Mountains Indii & Mangalor № 4.
Chinae boreali (Fortune Hookeriack № 1554
, Hongkong)
forma minima Mexico, Schiede
rep. sessil Java, Hb. Schreber " tithymaloides "
~~E. capitalis sessilis~~
Mexico Ramirski
Antigua 521. Wullschlaegel.
Para Brasil Spruce 202
Brasil Mart.
E. hypericifolia
var Cavanagen
Senaar 734 Kotschy
Aegypt.? 757 Schimper
Cordofan 154 Kotschy (caps pilis sparsis
adpersa v. subglabra
Jamaica 1008 Wullschlaegl
var pilosula, ft Angustifolia, Cumanensis,
St Domingo Bertero
Para Martius also Bahia
Para Spruce 201
Euphorbia Livia ? Mart. in Brasil Illustris genus
minor, annua (?), sem. minoribus,
capsulis creberrimis
Another spec. from Bahia is still more near Burmanni, if not even the same!

6701

Euph. sanguinea Hochst. Schimp 753.

one single specimen is more properly E. intermedia
all the others as well as the specimen in
the same sheet (N. 14 Dr Lang, Arabia
E. genistoides (Wadi Jalue) are sparsely pilose forms of E. genis-
toides, with fleshy entire obovate leaves; seeds
smaller than in other forms.

E. Tranquebarica 15 Dec 1795, (Rottler Cg N. 527)
ex herb Schreber. 1, the true Euph. Burmanni.
Forskal 2, a plant which I rather refer to Forskalii; but
perhaps here by mistake? — Caps, lax, sparsely
pilose, capsule smooth.

Euph serpens sine dubio = Euph. Jacquiniana Boiss. orientalis "Lindley"
— the same with narrow, obovate leaves, fr. Tranquebar
H.B. Schreb.
the same? Bertero N. 264 sine loco, Chili
Euph serpens? Guadalupe Bertero
foliis glaucis coriaceis obovatis ovatis cordatis
involucellis glanduligeris majoribus
Euph. Berteroana Balb. ? N. 518 Antigua, Wallenberg
Spr?
Euph. hypericifolia perennis glabrescens v. parce pilosa,
foliis integris v. parce serratis oblique ovatis,
= E. pulchella H.B.K.
E. hypericifolia? puberula, caule laxis multifloris
glandulis late obovatis appendiculatis, Mexico Ker
Euphorbia Chamaesula Miquel. n. sp. = Hohenack pl. Lindsor. 725 — ex Hohenack
ad Ctow marin prope Tellitschery — Martius
= Euph. nro 3870 Rottler. Jan 29 1796 "flor. dioicae
umbellatis, caule suffruticoso, decumbente, glabro, fol. integerrimis
— Tri uncinale

MISSOURI BOTANICAL GARDEN
GEORGE ENG

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Luph. stipulatae Hk. Monar contin.

Lupin. nilagirica Neig. u. sp. N 1128 Ind or.
Hohenack. ; glaberrima annua stip adnato-fossis
semisagittatis ovatis vix undulatis

Lupin alsinoides Neig. u sp. Hk.f. Nilagiri Ind. or.
Hohenack pl. 2. n. N. 1557 junior
fl. cyaneis, axill & termin. pol angste semilat.
seu rugosis. — Neig non L. hypenoefolia
brevi foliis caudatum — Hk.f. seeds apparently
distinct.

Lupin. origanoides Jus Aroussia, C. J. Ekeberg
in Hk. Schreber. perenni multicauli,
erecta glaberrima, fol late ovato-oblongis
profunde cordatis, angulo acutis, integris;
multiflonis semiverticillatis, cam parvis ovatis
obscuris vix undulatis

6702

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

Euphorbiae Hort. reg. Monac.

Nov. 1857

Euph. antisyphilitica Juss.! Tolima Mexico

Kunth. July 1827. Similar to our

plant, but apparently more slender

and the glands with orbicular appendages

Euph. Cacorum Mart. ined is certainly stipulate,

though his figure shows a 5 glanded

involucre.

and even calyculate

The plant however is

remarkable for having

often 3 leaves —

what is that ?



tab 73 ined

Martius.

Euph. Karwinskiana Juss. // is

no doubt E. pulcherrima

Euph. phosphorea Mart is very similar to

E. antisyphilitica / but much stouter

stems angular (also when fresh ?)

Euph. No 1010 Willdenow Fairfield Jamaica

Calcata in vepribus is no doubt the plant

Hook iron figured in Sloane tab 201, 2

and heretofore considered a Rhipsalis !

E. No 10096 Willdh. is E. heterophylla annua

= our plant.

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

6703

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Euphorbiae Hemb. Mex Palat Vindob.

---

1. Euph. oblongifolia Bopp. Chil. N 70 (6). Sm 553
annua diffusa glabra vel ovato oblongis
obtusis subcordata, stipulis. stip. setaceo filiis,
glandulosis; capsulis tuberculatis (non vidi)

2 E. serpens (radicans) Chili, Cumming 295

3 " " Ind. or. Helfer — cum stipulis quadrangularibus
from the american plant,

4 " — Ind. orient Banks, Ex hb. Jacq. 16.
non. E. corymbosa

5. N. 3649. Hügel Asia, prima vide, foliis
approximatis obovatis obtusis subcordatis vel ovato oblongis mucronatis
basi subcordata vel ob apice mucronatis semiamplexicaulibus, stipulis late
triangularibus margine dentatis, capsulis
seminibus oblongis, glabris albomarginatis.

Euph. distincta nov. spec proxima E. albomarginatae

6. Maj. Mc Chelli Expedition, Interior of Mexico.
annua glabra petalis 4-6 parvis semilibertis
fol. ovato oblongis obtusis subcordatis
basi subcordata, stipul brev. triangulatis
sem. ovato angulatis dense rugulosis
(vix recte descripsi, cum Rabil d. Hook.
Bogota, Linden 802 E serpenti proxima
vide, perhaps intermediate between
serpens & obesiuscula?

7 Nov. Holl. Fam. Bases; foll obl: g. ovat. obtus
similat sine fl. — habitus Euphs hyperifol?

8. Ins Norfolk. Fam. Bases — pedic et simil Euphs
glaberrim sed fol lox is dentatis

9. Nov Holl. Fam Bases is fl ram, largers
sam occurs on the Eastern Archipelago

10. Euph. chamaesyce " Harbour Jj Mexico is Calbo-
nayensis Fam. perenn procumb; foliorum
11 " E. chamaesyce " Trinius, Astrachan. v. d. Hoeven pedic
unguic foliis — is it Bieversteinsyce?

Euph. chamaesyce Fam. orient Banks Herb Jug.
rami vetorsellati ut is E. Ch. vera.
Stamens to be = Nilagirica

12. E. Asiae Hugel 3721 4 minus fol. oblongo
ovata serratis stipulis setaceo fissis et
13. E. Port Natal, 167, Gueinzius, is the
same as E. strigosa, Cap Drege, only larger
leaves equally
capsules glabrous
14 E. Banksii nov. spec. 4. fol. spathulow serratis
spithama. 4–6 poll. Fl. longepedunculis
Dan = agrees somewhat congenit marginis
late appendiculati, Banksii Linn Lambert
allo marginatis
Nov Holl Banks

15 Nov. Holl Banks. erect. 4 v. 6? glabrous
Habit of Euph hyperifol ramis tenuibus et
Anthospermi laxe corymbis
16 Nov Holl Banks 4 pubescens glabrata, ramis gra-
villosulis fl. in glomeris laxis apicellis bracteatis
fol spathulow serratis lanulatis ½–1½ inch.

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

17 Euph. (Nov Holl austr occid) Drummd 670 pauca portula ♂?
glabra ~~serrulat~~ acute angulata, basi foliosa, stipulis ~~setaceo fissis~~ ~~complicatis~~
18 Ex Australia Hügel pauca glaberrima portula
arum? Folia serrulata stipulæ fissæ, segmentis
stipulis triangulis basi
cottam valde lobo together, and perhaps
near setigera, Nov Holl. etc
Sp Radack Cham Mon 19
Sp Roemgoff. " — 20
Sp. Euph. Bhlüsie nov spec 24 erecta pedalis
e radice vigna elegans herbacea.
Jammeleira, Brasilia, Bhl 2179.
19 Decan, Heigel, Asia. 1822 pauca habentia
2 pollicaria, multicaulia, caule, folia glabra
floribus magnis viridibus rostris
Decan, Almidruggar, Er (compacta ? rubriflora
nov sp
20 Nir Panjohl Asia (Himalaya?) Heigel
© pertota 4-6 pollicaris, N 972
pilosa fol linearibus obtusis remotis, supra
et forma glabra.
21 Euph. sp Asia Heigel N 1776 ii probably
a form of E. hyssopifolia, lonifolia, foliis glaberrimis
late linearibus elongatis angusta semulatis
22 E. hyssopifolia var Schomburgh. Guiana N 73
23 E. hyss. — Decany Heigel 1760 var non ovatis
pallidis, magnis subluvidis
pl aveniis — non 3 nervis

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

24 Euph. hypericifolia fol. brevib. pubescentibus ovatis cordatis
ft. duae cymas. 3 caps. puberis, seu rarius magnopere
pil. strigos. percan. s. annua. Bunco Bonin
Schott № 1676

Euph. variegata H & Arth. Nilgerries, Perrottet. Nov 1832

Euphr. Madagascariensis n. sp. Boivin v. rr. rarius
glabella caps. glabris Boivin
pubescens caps. pubescentibus Mauritius

E. disticha n. sp. Hügel. 3649 Asia.

E. axillaris n. sp. Nov. Holl. Banks

E. diffusa Hook f. ? sub nom. E. articulata Hook [which
does not exist] Galapagos № 195 Anderson

E. recurva Hook f Anders N. 190. Galapagos.

E. nummularia Hook f Galapagos № 192. Anderson.

E. calliadenia n. sp Dir. Sanjohl, Kashmir Asia. Hügel. 972

E. obliqui-folia Boepp = rotundi-folia Hook & Arn.
Boepp. 70 — (Linn 553.) Chili

E. Radak Chamisso 19

E. Romanzoffi — 20

E. linearis Ach — var pubescens? St Thomas
var. pl latioris foliatis Guadaloupe, Perrotet

E. ber. folia "Cuba, foliis 3 pedalibus" Boeppig
St Thomas et

E. Peplis

E. Chamaesyce var glabra Fenzl rarius
var pilosior (Cavanilles) = Linnaeus
var villosa

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Euphorbia Hb. Mus. Vindob 2

E. carnea Mart. Pohl. 1762. 1671. 948
The two last numbers with uncertainty
the first with obtuse(?) leaves

E. cordata Meyen Swartz Meyen

E. prostrata Ait Texas Lindh. 533 - Drumd 228
Jamaica Bourgeau 1509 (vel E. Torsk)
N Orleans Drumd. 291 x
St Louis ÷ Ht Cand Ecke Tamaulipas?
mentioned by Lieb 131 ex parte

E. serpens HBK amissiaeae Richl. St Louis 475
Texas Lindh. 532. 693
also N Orleans Drumd. 290 Tamaulipas Berlandier 140.
mixed with maculata
Mus. Brit Cham. 2022 (radicans!)
Chili Cumming 295

indica Ind. or. Helfer
Ind. or. Banks ÷ Ht. Jacq.
vel non E. corymbosa

proxima serpenti ? Bogota Linden 802
? New Holland, Maj. Mitchell's Exp.

E. polygonifolia L Ohio Drege Mass. Darby

E. glyptosperma Engelm. Drumd. Texas (1844) 320

E. pilulifera { var α — 329 (1842)
var β — 319 (1842)

E. albomarginata Torr & Gr Mexico Hartweg 33
Texas Drumd. 330

E. cordifolia Ell Texas Drumd (228)

E. villosissima Kl Pohl, Brasil 1674 & 5744

E. dioica HBK Guatemala Friedrichsthal
Oaxaca. Texas 219 & 479
Guiana Schomburgk 172

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Euph. rosea Ind. or. Banks ex herb Jacq

E. Esula Linn Am. Arab. Lamark ill. t. 86 Jacq
a small shrubby plant, only 4 inches high, petioles pubescent
E. tomentella Engel Sm. Linn Botan Archiv 1358
E. serrulifolia Jacq. Sempf Arnotat 743
= E. thymifolia Schweigg 755 Ind. Nov. Mant.
Aethyopia Kotschy 291
= E. thymifolia Kotschy Mant. Cordof
Fischer Djidda 163
E. thymifolia Linn Pennsylv 483 Michaux
E. Burmanniana Forsk obovatolanceolata.
Doppel Persia, Forsk non protata
— Maynas (" " —
Schiede Mexico 45. (callitrichoides
Schlecht
Guiana, Schomburgk
Surinam Hostmann (1078?)
Brasilia Gardner 1128
Bhl 268. 2388
E. ricinoides Forsk Hasselq. 293
Madagascar Boivin
Ind. or. Lamark ill. Jacq.
Mauritius Sieber Boj
var. E. thymifolia — Cuba Ehrenb.
E. maculata Linn Texas
Illinois, Riehl 472 (E. humistrata
Ohio, Sprague
thymifolia Mex. Linn. Pringle
Syracusa " " " Ca

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

E. mamulata ovata E. thymifolia Hk. Nicht Steud. 137
Am sept Schweinf
Arabien Deser. 290. mit 9 mit
E. serpens.

E. granulata Forsk.

a parvifolia pilosula v. villosa

Aethiopien Kotschy 310 Hk. Nubien
Arabien Fischer 14. 173.
— Schimper 754. 912
Nubien Kotschy 17*
St Vincent Cap verd. Schimper.
San Antonio Cap Verd. Schimper
illoc. — Nubien Kotschy 364

b. major = thymifolia Forsk (serrata, ovata
v. subintegra

Aegypt, Savi, Sieber
Aethiop Kotschy 176 & 310 Hk. Nubia.
Nubien Kotschy 69 (granulata)
145 —
Abyssin. Schimper 618
— — 1154
Senegal Perrottet 746

γ. Glabemima Abyssi Schimper 1286. vel non
integrifolia C. parvula Del
serrata — — 1324 C. granulata
δ. acutifolia? Madagascar Boivin

E. Hugeliana nov sp Himalaya Hügel 653

E. rubriflora n sp. Deccan Hügel 1422

E. Pohlii n sp. Brasil Pohl 2179

E. rostrumcloides Boppig Cuba
in rupibus Gibaris, Matanzas

E. Baueri n. sp. Nov Holl. F. Bauer

E. polygonoides Hochst. Cordofan Kotschy 302 Abyssin Schimp 1500

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Euph. chaegon. Calcar Linn 1850 Gueinzius 167. Port Natal
Cap. Ecklon Drege 1541
Aphora selligera E. M. Cap. Drege
sanguinea Hochst. & Steud. 753
Schimp Abyss.
intermedia Hochst. Schimp. Abyss 1133
Asia u. Cagayana Miq. Indie 1128
Chamaepe Banks Ind. or. (Wallich)
Asia Hügel 3721
Australia Australia Hügel
Drummond. 670.
Amer. potato. Pine Knot Ind
(by mistake: Bethlehem Pa)
E. commutata Hochst. Kotschy Nubia 242
E. Cacorizata Oakes = halophila Miq. Ind. or. 725
N. Holland
New Holl Ferd. Bauer.
Van Norfolk Isl " " (fol mimosa)
E. Pseudochamaepe + E. Chamaepe Australia, Leichh
E. arabica Hochst & Steud. Schimp 756
E. rhytidosperma Engl Pl. Tiff. Ch. C. = decorticans
Staraea.
E. angusta R. Br. Linn. Tex 694
E. Origanoides E. Madagascar Boivin 1846-48
E. Fendleri Leigh. Tex 531
E. villifera " " 530
E. hypericifolia corymbiflora leiocarpa Am. bor. Tex. Drummond Palermo
leiocarpa no open
microtheca leiocarpa Louisiana Hooker 347
leiocarpa Cuba Otto
E. glandulifera Miq.
E. pilulifera Amer & Ay. & Afr.

Euphorbia anisophylla

Herb. Mus. Bohem. Prag.

E. hypericifolia Vienna

E. Characias & varieties from different localities;

E. pro parte, Lois. Montpellier ii
perhaps the form from the Garden at
Montpellier named so by de Candolle
It is a very large and overgrown Characias
with articulated hairs!
and rarely erect and
dentate very oblique leaves

E. Nicea, Haenke, Mexico

E. inclinata Hort. bot. Sternberg
slightly puberant Cuba
the same cult in Hort Modoctiae
1835 (Modena?)

E. Coccorum Mart. Brasilia Pohl
folia quaterna!

E. orbiculata? Haenke, Guiguil

E. filicaulis
nid to me from Luzon

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

6706

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Euph. heterophylla annua

Jamaica Wullschlaegel

1009 b

= Piscum opuntioides Sloan II. tb. 201. 2

Euph. Thiispalodes

= Pyrethrum aphyllon Plum. pp (ed Burm) t. 234. 1

cactoid. Jamaica Wullschl.

N. 1010

517. E. glabrata Antigua

516. E. Characias " "

522 E. serpens " "

sub non rubanules dry

sc 27. 6. E. [illegible] cupressifolia

518 Euph. Berteroana DC Balb. Antigua

1008 Jamaica E. hyssopifolia foliata

& St Domingo Bertero angustifol

521 Antigua E. pilulifera

gr zdruh HC. Th. [illegible] ?

Collect. Wullschlaegel

in Mus Lon

Euph. Berteroana a decumbens ?

an Poiretii ? Euph. procumbs DC. Cat Hb. Monsp ?

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

6707

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Euphorbia non Stenophylla Hort. Wendl

Euph. pendula, Mexico, Large Hort. is a gattung
plat with lanceste lobes of rinden = [illegible]

E. corallata P. Mexico, fol obovat —



Cephedroides E. M
very similar to my Stipulaides, but terete

E. Peplidion mihi Texas Aschenborn 1864
E. dictyosperma Texas Drummond 1835 N 328
— var leiocarpa " " 327

E. Cap Mendozae very near E. Floridana !

6708

MISSOURI BOTANICAL GARDEN
PEACOCK LIBRARY

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Euphorbia Herb. Martii selecta
Monach. Nov 1859

- Euphorb. 2d. or. Aor6. leg.
glabrissima; very near, if not identical
with E. serpens — such seem to be the same
stipules a little different.

- E. nova Caledonia Labill. ? pl
glabrissima ramosa ramis elegantissimis, fere
laevis

- E. Mulanna Griffith © pure
pilosa a pl glabris — fl. pl. Burmani,
but otherwise much different

- E. Mulanna Griffith.
erecta arborea ramis glabrissimis,
(halophila or a similar one) pedic. ½ ?

- E. Nepaul Jenes Aberr
seems to be glabrissima pl foliis, obovatis acutis
= bupifolia

E. serpens Bonidia Abel

- E. microphylla Wall Cat — the key form
of the 3d — these seem distinct from
E. Burmanni

E. prostrata Surinam Weigelt (printed label)
correct.

- Euph. Mauritius H 211 Sieber
= microphylla ?



Euph. pulcherrima Sieb. Mauritius H. 212

E. organoides Li Ins Amoen Leg. Siklon

fol. ovatis subcordatis, - erecta simplex e rad. crassa lignosa

Euph notata Missouri, Prig Rev Wied

E. Characias Sarepta

E. cuparissoides ? mauritius Cuba [Roeppig?]

apparently a good species: glabra — fol. crenulati s. subintegris; fl. solitariis — involucr. majusculis, campanulati; gland appendiculat — caps. acute angulat, sem. acute angulatis undulatis

E. glauerophylla Schlecht Senegal 18 D. F.

E. corollata ? Arabia leg. Fischer.

small annual plants!

E. Arabica Djedda Arab. Dr Fischer No 187

erecta suffruticosa 1/2 pedalis

E. hypericifolia var brevifolia parvifolia

Delaware Gap, Fr. Max, Wied

sub nom. E. depressa

E. ? Capite postice Wallichl. Sumatra

i E. Burmanniana

Capite effusa Japan annua profusa, caule pilosulo, - fol obovat serrat glab

Is it a glabrous form of that east indian plant?

E. pulcherrima Japaca!

1077 Willschlaegel Russia sine nom = prostrata!

1078 — — — = Burmanniana

1079 — — — pulcherrima

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMAN

6709

Engelm.

on a Illinois Grass ?

Stephan ?

This is a perenial very ornamental plant — with very small leaves, it may be hyperinteplei ?

BOTANICAL GARDEN
ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Euphorbia Hub. Prod. C.

nunc = Mus Mauv. Prag.

E. hypericifolia Martinique

E. Andrieuxii folia Prod.! non .... hypericifolia

= E. triumfetoides Bertoloni = maculata auct
= E. Preslii Guss. Colon. Hal.

E. indigitata ejusdem loci

E. retusoides Haenke, Reppin !

E. glabrata Cuba Reppin = trifida

E. Caracasana Klotzsch Hilsenberg* leg — also Fischer
Mauritius communicated by Fischer =
Arabia
Mus Mauv. Prag

E. sinuosa comm. e loco ex Hort.
Jard Chambéry. 24
postea E. serpyllifolia

E. isabelae = E. heterophylla Legasca
= prostrata Hort. Vindob.

E. G

* Hilsenberg was Siebers Collector
at the Cape — ? = Mauritius

6710

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Phyllanthus Niruri sollte nach der Entdeckung = Göttingen March 1857 i. H. Grisbach

Euphorbia heterophylla = cyathophora Murray

fide Grisebach

~~articulata Burm. f.~~ Jacq. used both names and finally united both forms, at least the west Indian plants.

E. articulata Burm. = Linneis Herb. plant

E. glabrata Sw is our Florida plant which I take to be synonymous with E. buxifolia

E. prostrata is entirely my plant (formerly ovalifolia) the longer leaved form I find to be identical with Galletti's Chandleri

~~Go. distinguishes it only as a variety~~

See Flora of Panama, Seeman, Euphorbiae by Klotzsch

E. tomentosa Persoon !

E. Gaudichaudii Lam. is according to a specimen in Herb. Grisebach authentic but E. hypericifolia specimen from Rio de Janeiro

Hura crepitans is Linnaeus Cayenne description

6711

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Euphorbiae anisophyllae

Herb Hort. Bot. Genuens.

E. polygonifolia — New Jersey

E. pulcherrima — Carolina

E. characias — villosa — Graecia

glaberrima, parvifolia, viridior,
habitu E. cuneifolia. — Palermo
fol. obovat. emarginat. subtus

E. hyssopifolia — Pennsylv.
Antill
Sicilia

E. maculata — R.! — Rota leg.
Pennsylvania

E. Peplis — Genua

MISSOURI BOTANICAL GARDEN
copyright reserved
cm 0 1 2 3 4 5 6 7 8 9 10

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

6713

Herb Mediolan 1858

museo civico

Euph. characias Herare, glaberrima, foliis
ferrugineo-lanatis notatis

E. Bertoniana Balbis Ann. leg.

E. proculata Visiani misit e Dalmatia
= E. canescens

E. maculata vera Jan, Verona

E. imbricata Lagasca vidi in Herb Parm
et cum herb Lugdun
sanne sub nom. Tithymaloides

E. Jan leg. prope Neapolin
annua, palula, minus pluribus e capite
radicis flexuosis filiformibus. 6–8. unc.

6713

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS